Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

SECRET

25 August 1964
Refer: SD-696

DOCUMENT NO.
NO CHANGE IN CLASS. X
☐ DECLASSIFIED
CLASS. CHANGED TO: TS S C 2011
NEXT REVIEW DATE:
AUTH: HR 70-2
DATE: 6/6/81 REVIEWER: 064540

25X1A To: [redacted], Contracting Officer

Subject: Fairchild Space and Defense Systems Proposal
Closure of Contract FI 5777

Dear Art:

Delivery of S/N A24 was accomplished on 16 June 1964, fulfilling all contractual requirements for hardware under subject contract.

Amendment No. 3 to Contract FI 5777 reflected the net credit to STATINTL the original negotiated contract price of [redacted] in the amount STATINTL of [redacted], thereby establishing a new final contract price in the STATINTL amount of [redacted].

The net additional scope unnegotiated to date after receipt of Amendment No. 3 remains as follows:

Authorized Lens Barrel Transfer for S/N 109 -
Ref: FSDS Ltr., 27 Apr. 1964, SD-643

STATINTL Prepaid Freight Charges for S/N 22, 23, and 24 - [redacted]

Correction of Lens, S/N 101
Authorized on Prime TWX 2/25/64

STATINTL [redacted]

Grand Total - Unnegotiated Scope

Fairchild proposes to acquire title to the Intermediate Altitude Chamber residual under the subject contract, S/N 72871-1232-92, in addition to a Leak Detector used with this system, S/N 5003, Assignment No. 1232-84. This equipment was obtained on the original "A" Program in 1959 and is permanently housed in Fairchild's facility, in a secured area specifically built in accordance with the security requirements imposed on this contract. The acquisition cost of this STATINTL equipment was approximately [redacted] plus installation and maintenance.

In view of the extended life already imposed on this equipment, and the excessive restoration charges that would be incurred in the event this equipment were recalled by the Government, it is proposed that Fairchild be granted title to this equipment in lieu of the total sum due on this contract for the unnegotiated added scope subsequent to Amendment No. 3. In the event the Government is in agreement, it is recommended that a supplemental amendment be issued to this contract, transferring title to the above mentioned equipment and the closure of this contract at no additional cost to the Government.

Very truly yours,

STATINTL [redacted]

aw Manager, Special Projects

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

SECRET

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Area Test Instruments (Commercial Instruments)

Project 42 - 1232 -

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. No.	INSTALLED IN CONSOLE NO
Consoles	Triple Relay with casters, blowers, draw, table, rectacles, power cord, and power switch			1232-1 1232-2	1232-1 1232-2
Electronic Counter	Hewlett-Packard	523DR	127-00858	1232-3	1232-2
Electronic Counter	Hewlett-Packard	523DR	127-00835	1232-4	1232-2
Electronic Counter	Hewlett-Packard	523DR	127-00827	1232-5	1232-2
Electronic Counter	Hewlett-Packard	523DR	127-00840	1232-6	1232-2
Digital Recorder Clock	Hewlett-Packard	560A	038-02306	1232-7	(1232-2)
	Hewlett-Packard	570A	037-00186	1232-	
Digital Recorder	Hewlett-Packard	560A	038-02336	1232-8	
Clock	Hewlett-Packard	570A		1232-	
Oscillograph Recorder	Brush Mark II	RD-2522-00	264	1232-9	(1232-2)
Oscillograph Recorder	Brush Mark II	RD-2522-00	267	1232-10	
V. H. F. Mult.	Applied Research Inc.	M-125	13-1	1232-11	(1232-2)
V. H. F. Mult.	Applied Research Inc.	M-125	13-2	1232-12	
Frequency Stand	James Knight	FS-1100T & PS	255	1232-13	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42 - 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Frequency Stand	James Knight	FS-1100 T & PS	248	1232-14	Transit
Frequency Stand	James Knight	FS-1100 T & PS	245	1232-15	
" "	" "	" " " "	257	1232-16	
Power Supply 2Kc	Electronic Gen.	1460L	497	1232-17	1232-1
" " "	Communication Measurement Labs	1460L	498	1232-18	1232-1
Power Supply D. C.	VM 300 (Ferrotran)			1232-19	1232-1
" " "	" " (ELect. Co.)			1232-20	1232-1
Synchronizer/Time Word	FCI			1232-21-A21B	1232-1
" " "	FCI			1232-22A-22B	1232-1
Oscilloscope	Tektronix	545A	021825	1232-23	In Scope Mobile
Dual Trace Amp.	"	CA	009737	1232-23A	1232-23B
Scope Mobile	"	500/53A		1232-23B	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42 - 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE N
Power Supply	Model Rect. Corp.	DV-III - 1		1232-25	
" "	" " "	DV-III - 2		1232-26	
" "	" " "	DV-III - 3		1232-27	
" "	" " "	DV-III - 4		1232-28	
Oscillograph	Midwestern	Supporting Console		1232-29	(on casters)
"	"	621HT	675	1232-29A	
" Gal. Amp.	"	940A	113	1232-29B	
Gal. Amp.	Honeywell	T66A-102	288	1232-29C	1232-29
" "	"	T66A-102	301	1232-29D	
Freq. Stand	James Knight	FS-1100 T & P.S.	285	1232-30	Transit
Freq. Stand	" "	FS-1100 T & P.S.	151	1232-31	Transit
Counter Freq.	H/P	522B	03834	1232-32	
Read Command Generator	Con Avionics			1232-33	
V.H.F. Multiplier	Applied Research	M-125	07-4	1232-34	
V.H.F. "	" "	M-125	06-3	1232-35	
V.H.F. "	" "	M-125	25-1	1232-36	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42 - 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Atomichron	National Comp. Inc.	NC-1001A	S-135	1232-37	
Power Supply	N. J. E.	SS-32-20	9374-3	1232-38	Console
" "	N. J. E.	SS-32-20	9296-3	1232-39	
" "	N. J. E.	SS-32-3	519	1232-40	
400 Converter Power Supply	Tel. Inst. Elect. Corp.	400ART-1	499	1232-41	Console 1232-42
Console				1232-42	Console 2
Console				1232-43	Console 4
Power Supply	N. J. E.	SS-32-20	9374-4	1232-44	
" "	N. J. E.	SS-32-20	9296-2	1232-45	1232-43
" "	N. J. E.	SS-32-3		1232-46	
Power Supply	Tel. Inst. Elect. Corp.	400ART-1	511	1232-47	
400 Converter Power Supply	Tel. Inst. Elect. Corp.	400ART-1	498	1232-48	Carton in Storage
Regulator, Voltage	Tel. Inst. Elect. Corp.	601	166	1232-49	near atomichron
Power Supply	Kepco	SM-36-5M	C-29373	1232-50	
" "	Kepco	SM-36-5M	C-29371	1232-51	
" "	Kepco	SM-32-1.5	C-28934	1232-52	1232-70

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42- 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Power Supply	Kepco	SM-32-1.5	C-28948	1232-53	1232-70
Power Supply	N.J.E.	SS-32-3	530	1232-54	
Console	Emcor			1232-55	
Power Supply	N.J.E.	SS-32-20	9473-2	1232-56	1232-55
" "	N.J.E.	SS-32-3	534	1232-57	
" "	N.J.E.	SS-32-20	10062-4	1232-58	
Digital Recorder	Hewlett-Packard	560A	1485	1232-59	
Console				1232-60	
Generator Pulse	Dumont	404	1207	1232-61	
Counter, Electronic	Hewlett-Packard	523B	006-01657	1232-62	
Counter, Electronic	" "	523B	006-01674	1232-63	
Counter, Electronic	" "	523B	006-01730	1232-64	
Oscillegraph	Midwestern	Supporting Console		1232-65	(on casters)
Oscillegraph	Midwestern	616	184	1232-65A	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42 - 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Oscill. Gal. Amp.	Midwestern	940A	106	1232-65B	
Amplifier Galvo	Honeywell	T6GA-102	281	1232-65C	
" "	"	T6GA-102	266	1232-65D	
" "	"	T6GA-102	273	1232-65E	
" "	"	T6GA-102	271	1232-65F	
Console	-- houses Bit Converter --			1232-66	
Reg. Power Supply	N. J. E.	CR-36-6B	12953-6	1232-67	1232-66
Reg. Power Supply	N. J. E.	CR-36-20B	13382-4	1232-68	
Amplifier Audio	McIntoch	MC-60	Type A-121	1232-69	1232-69A
Rack panel & chassis holding		1232-69		1232-69A	
Console				1232-70	
Reg. Power Supply	N. J. E.	SS-32-20	9469-2	1232-71	1232-70
Console - Gray twin relay Emcor appr. 5 panels high				1232-72	-Same-
Electronic Counter	Hewlett-Packard	523DR	139-01064	1232-73	
" "	" "	523DR	139-015050	1232-74	
" "	" "	523DR	139-01052	1232-75	1232-72
" "	" "	523DR	139-01033	1232-76	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Project 42 - 1232 - (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Digital Clock-Recorder	Hewlett-Packard	570A - 560A	206-027-41	1232-77	1232-72
Power Supply	Kepco	ABC-40-0.5	E-03083	1232-78	
" "	Kepco	ABC-40-0.5	E-03081	1232-79	
" "	Kepco	ABC-40-0.5	E-03082	1232-80	
" "	Kepco	ABC-40-0.5	E-03080	1232-81	

Charge No. 1114-00

Oscilloscope	Dumont	425	271	1114-1	on cast 1114-
Pre-Amplifier	Dumont	4202	245	1114-2	in scope 1114-1
Delayed Sweep	Dumont	4203	314	1114-3	in scope 1114-1
Camera F1.9 lens	Dumont Camera		B-032710	1114-4	in Prog. 42 Area
	Holder	450	440	1114-5	" "
Travel Cart	Dumont Technibilt Corp.	4270		1114-6	with scope

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Commercial Instruments - Project 42 (Continued)

DESCRIPTION	MANUFACTURER	MODEL NO.	SER. NO.	ASSIG. NO.	INSTALLED IN CONSOLE NO
Power Supply	Lambda	LT-1096M	F-26111	1232-82	Transit
Variac	Staul Elect. Prod. Co.	500B	A-14675	1232-83	Dark Rm.
Leak Detector	Consolidated Electro Dynamics Corp.	24-110A	5003	1232-84	On casters
P.S.I. Pressure Gauge	Wallace & Tiernan	FA-145	DD-09484	1232-85	
Test Gauge	Ashcroft	0 to 5000		1232-86	
Densitometer	Macbeth Ansco	273	85048	1232-87	
Sensitometer	Edgerton Germeshausen & Grier Inc.	Mark VI	149	1232-88	
(Tearing Tester Elmendorf)	Testing Machine Inc.			1232-89	
Rt. Angle Collimator				1232-90	
Hi. Volt. P.S.	F.C.I.			1232-90A	for use with Collimator
Hi. Volt. P.S.	F.C.I.			1232-90B	
Vacuum System N.R.C.	Equipment Corp.	occupies large room 30' by 30'		1232-91	
Altitude Chamber Under Sub-to A/P	Beach Russ Co.	Vac-Pump No. 30 L-VP	72871-1	1232-92	
Altitude Chamber	International Radiant Corp.	956-T26		1232-93	
Theodolite	Wild Heerbrugs, Switzerland	T3-58486		1232-94	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Inventory Job No. 1232

Item	Quantity	Description	Part No.	Case No.
1	1	Small Assy. Fix.	1015T2	1
2	1	Small Assy. Fix.	1015T2	2
3	1	Small Assy. Fix.	1015T2	3
4	1	Small Assy. Fix.	1015T2	4
5	1	Wallace & Tiernan Pressure Gage S/N DD09484	Mod. FA145	5
6	1	Cage	1015T214	6
7	1	Dome	1015T23	
8	1	Film Handling Fixture	1015T26	7
9	1	Dome	1015T23	8
10	1	Tower Fix.	1015T44	9
11	1	System Test Fix.	1015T9	10
12	1	Film Spool S/N 88 with Supports	Box No. 1	
13	1	Film Spool S/N 87 with Supports	Box No. 2	

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

STATINTL

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1

Next 1 Page(s) In Document Exempt

Approved For Release 2000/05/04 : CIA-RDP66B00728R000400030057-1